

# **Material Safety Data Sheet**

## **SECTION 1: COMPANY IDENTIFICATION**

Supplier's name : ReSem BV Supplier's address : Hoofdweg 172

1175 LD Lijnden The Netherlands + 31 23 555 25

Telephone number : + 31 23 555 25 02
Fax Number : + 31 23 555 25 06
E-mail address : info@resem.com
Website : www.resem.com


## **SECTION 2: CHEMICAL IDENTIFICATION**

Chemical Product name: D - Luciferin Sodium salt ( D - Luciferin Na Salt )

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL ABSTRACT REGISTRATION NO 115144-35-9

## MOLECULAR FORMULA



d-luciferin, sodium salt

 $C_{11}H_7N_2NaO_3S_2$ Mol. Wt.: 302.3

Chemical name : D-(-)-2-(6'-hydroxy-2'-benzothiazoyl)-delta-2-thiazolene-4-carboxylic

acid, sodium salt

Chemical formula : C<sub>11</sub>H<sub>7</sub>N<sub>2</sub> NaO<sub>3</sub>S<sub>2</sub>



## Material Safety Data Sheet/ page 2 of 4

#### **SECTION 4: HAZARDS IDENTIFICATION**

Physical hazards : none
Chemical hazards : none
Effect(s) of (over)exposure : none
Symptoms of (over) exposure : none

Health hazards : Material may be harmful by inhalation, ingestion or

skin absorption. Causes eye and skin irritation. The material is irritating to mucous membranes and

upper respiratory tract.

**SECTION 5: FIRST AID PROCEDURES** 

Eye contact : Rinse eyes immediately with copious amounts of

water for at least 15 minutes. Assure adequate flushing of the eyes by separating the eyelids with

fingers. Seek medical advice immediately.

Skin contact : Take off contaminated clothing and shoes

immediately. Wash skin with soap and copious

amounts of water. Seek medical advice.

Inhalation : Remove from exposure to fresh air. If not breathing,

give artificial respiration. If breathing is difficult, give

oxygen and seek medical advice immediately.

Ingestion : If swallowed, wash out mouth with water. Seek

medical advice immediately.

**SECTION 6: FIRE AND EXPLOSION HAZARD DATA** 

Flash Point : Not available Flammable limits : Not available

Hazardous thermal decomposition : When heated to decomposition material emits toxic

fumes (CO, CO<sub>2</sub>, SO<sub>2</sub> and NO<sub>3</sub>)

Extinguishing Media : Carbon dioxide, dry chemical powder, appropriate

foam and water spray.

Special fire fighting procedures

Protection of fire-fighters

: none

: Fire-fighters must wear self contained breathing

equipments and impervious clothing

**SECTION 7: ACCIDENTAL RELEASE MEASURES** 

Personal precautions : Avoid contact with the eyes and skin. Do not

swallow. Do not breathe dust.

Environmental precautions : Avoid contact with environment

Methods for cleaning up : Wear self-contained breathing apparatus, rubber

boots and heavy rubber gloves. Evacuate the area. Sweep up, place in bag and hold for waste material. Ventilate the area and wash spill site after material

pickup is completed. Avoid raising dust.



## Material Safety Data Sheet/ page 3 of 4

#### **SECTION 8: HANDLING AND STORAGE**

Handling : Use adequate ventilation. Keep containers closed

and moisture free. Wear chemical –safety goggles, chemical –resistant gloves and other protective

clothing.

Storage : Protect from light, air and humidity. Store at -20° C.

The product is slightly hygroscopic

Packaging materials : Plastic containers.

SECTION 9: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures : Access to safety shower and eye-wash.

Mechanical exhaust required.

Hygienic measures : Do not eat, drink and/or smoke during work.

Work / Hygiene practices : Wash with water and soap after handling *Personal* 

protection

Respiratory system : Use respirator and wear dust mask.

Skin and body : Use protective clothing.
Hands : Wear rubber gloves.
Eyes : Use eye/ face protection.

**SECTION 10: PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : Microcrystalline powder Colour : White to slightly yellow

Odour : None

Solubility : Highly soluble in water and methanol.

Melting point : 201° C.

Boiling point : Density : Flash point : Lower explosion limits : Upper explosion limits : SECTION 11: STABILITY AND REACTIVITY

Stability : Stable under light and humidity protection.

5 years at  $-18^{\circ}$  C, 60 days  $27^{\circ}$  C, 7 days at  $37^{\circ}$  C.

Conditions to avoid : Protect from heat, light, air and moisture.

Materials to avoid : Strong oxidizing agents, strong acids and strong

bases.

Hazardous decomposition products  $: CO, CO_2, NO_x, SO_x.$ Hazardous polymerization : Will not occur.



## Material Safety Data Sheet/ page 4 of 4

## **SECTION 12: TOXICOLOGICAL INFORMATION**

Acute toxicity :The chemical, physical and toxicological properties

have not been thoroughly investigated.

Intravenous : Subcutaneous : -

Inhalation : Material may be irritating to mucous membranes

and upper respiratory tract. May be harmful if

inhaled.

Eye irritation : May cause eye irritation. Solutions slightly alkaline.

Skin irritation : May be harmful if absorbed trough skin.

May cause skin irritation.

Sensitization : Chronic toxicity : Carcinogenicity : Mutagenicity : SECTION 13: ECOLOGICAL INFORMATION

Mobility : Data not available
Persistence and degradability : Data not available
Bioaccumulative potential : Data not available
Ecotoxicity : Data not available

**SECTION 14: DISPOSAL CONSIDERATIONS** 

Methods of disposal : Dissolve or mix the material with a combustible

solvent and burn in a chemical incinerator according

local environmental regulations.

**SECTION 15: TRANSPORT INFORMATION** 

AIR/ IATA : not regulated.

**SECTION 16: REGULATORY INFORMATION** 

Responsibility : Responsibility of the receiver to have knowledge of

national and local regulations.

**SECTION 17: OTHER INFORMATION** 

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE.

RESEM BV SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.